
Fox Point Dock Slip Diagram

Live Text Title: Fox Point Dock Slip Diagram

Alt text: diagram of the Fox Point dock slips



Fox Point Dock Slip Diagram Accessible Description

Accessible Image Description: Savin Hill Cove Marina Plan

This image is a black-and-white architectural plan showing a top-down view of a marina layout at Savin Hill Cove. It depicts a central floating dock system with several perpendicular docks, a gangway connecting the marina to shore, and labeled features including stairs, a ramp, and an office.

Overall layout and dimensions

The marina is arranged around a long, vertical central pier that runs from the bottom center of the drawing toward the top. Several horizontal floating docks extend to the left and right of this central pier, creating a comb-like arrangement.

The overall horizontal dimension shown along the bottom of the drawing is approximately 150 feet, 9¾ inches (45.966 meters).

Central access and circulation

- Gangway: At the top center, a long, narrow gangway runs vertically from the central dock area toward the shore. It is labeled “Gangway.”
- Stairs: Near the upper end of the central pier, a small rectangular feature labeled “Stairs” sits just below the main dock junction.
- Ramp: A short section labeled “Ramp” is located immediately to the right of the central pier, near the upper dock junction.
- Central pier: A long, wide walkway extends downward from the upper dock junction toward the bottom of the drawing. It forms the main access spine for the marina.

Floating docks

There are three main levels of horizontal dock structures extending outward from the central pier:

1. Upper dock level: A long dock extends to the left and another to the right of the central access area. Both are labeled with a width or reference dimension of 30 feet. The right-hand dock contains a small enclosed area labeled “Office.”
2. Middle dock level: A shorter dock extends horizontally to the left and another to the right. Each is marked approximately 25 feet long.

3. Lower dock level: The bottom section has long horizontal docks extending to both sides of the central pier. Dimension markings along this level divide the overall span into five sections of 30 feet each.

The dock edges include repeated small rectangular fittings or connection details, likely representing structural or mooring components. Fine parallel lines throughout the dock surfaces indicate decking or construction details.

Office and marina facilities

The office is located on the upper-right dock, inside a rectangular enclosed area near the right side of the drawing. It is labeled clearly as “Office.” The stairs and ramp are clustered near the central junction, providing additional circulation features.

Orientation

An arrow near the upper-right side of the drawing is labeled “MARINA ORIENTATION.” A compass symbol appears in the lower-left corner, although the precise compass direction is difficult to read from the image.

Key dimensions visible in the plan

- Overall horizontal dimension: 150 feet, 9¾ inches (45.966 meters).
- Upper dock reference dimensions: 30 feet (9.144 meters).
- Middle dock reference dimensions: 25 feet (7.620 meters).
- Several vertical separations between dock levels are marked at approximately 26 feet, with additional inch measurements.

In summary: The drawing shows a marina with a central access pier, a shore-connected gangway, stairs and a ramp near the main junction, an office on the upper-right dock, and multiple floating docks extending horizontally to either side. The arrangement is symmetrical in its broad layout, with corresponding docks on both sides of the central pier, although the upper sections contain different features and enclosed areas.